

| | L # | Hits | Search Text | DBs |
|----|-----|-------|--------------------------------------------------------------------|------------------------------|
| 1 | L1 | 2417 | Cool NEAR2 ICE | US-PGPUB; USPAT |
| 2 | L2 | 887 | Cool ADJ1 ICE | US-PGPUB; USPAT |
| 3 | L3 | 4541 | mapper | US-PGPUB; USPAT |
| 4 | L4 | 23 | 2 and 3 | US-PGPUB; USPAT |
| 5 | L5 | 5 | ("5737592" "5778367" "5961601" "6023684" "6094649").PN. | US-PGPUB; USPAT; USOCR |
| 6 | L6 | 4 | ("6295531").URPN. | USPAT |
| 7 | L7 | 1498 | (SGML or HTML or HDML or xML) NEAR20 (syntax\$6 or script\$6) | USPAT |
| 8 | L8 | 2104 | command NEAR3 script | US-PGPUB; USPAT |
| 9 | L9 | 1831 | ASP NEAR5 active | US-PGPUB; USPAT |
| 10 | L10 | 18123 | database NEAR3 management | US-PGPUB; USPAT |
| 11 | L11 | 133 | 7 and 8 | US-PGPUB; USPAT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|--------------------------------------------------|--------------------|
| 12 | L12 | 160 | 7 and 9 | US-PGPUB; USPAT |
| 13 | L13 | 302 | 7 and 10 | US-PGPUB; USPAT |
| 14 | L14 | 20 | 7 SAME 10 | US-PGPUB; USPAT |
| 15 | L15 | 60 | 7 SAME 9 | US-PGPUB; USPAT |
| 16 | L16 | 6 | 8 SAME 9 | US-PGPUB; USPAT |
| 17 | L17 | 47 | 8 and 9 | US-PGPUB; USPAT |
| 18 | L18 | 268 | 8 and 10 | US-PGPUB; USPAT |
| 19 | L19 | 10 | 8 SAME 10 | US-PGPUB; USPAT |
| 20 | L20 | 80 | 9 SAME 10 | US-PGPUB; USPAT |
| 21 | L21 | 89 | 7 NEAR10 (intermix\$8 or couple\$4 or combin\$8) | US-PGPUB; USPAT |
| 22 | L22 | 49 | 8 NEAR10 (intermix\$8 or couple\$4 or combin\$8) | US-PGPUB; USPAT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|------------------------------------|--------------------|
| 23 | L23 | 0 | breaker NEAR10 statemnet | US-PGPUB; USPAT |
| 24 | L24 | 22 | breaker NEAR10 statement | US-PGPUB; USPAT |
| 25 | L25 | 0 | 24 and database | US-PGPUB; USPAT |
| 26 | L26 | 2929 | (end or complete) NEAR10 statement | US-PGPUB; USPAT |
| 27 | L27 | 1354 | 26 and database | US-PGPUB; USPAT |
| 28 | L28 | 15 | 26 SAME 10 | US-PGPUB; USPAT |
| 29 | L29 | 67 | 3 and 7 | US-PGPUB; USPAT |
| 30 | L30 | 58 | 3 and 8 | US-PGPUB; USPAT |
| 31 | L31 | 73 | 3 and 9 | US-PGPUB; USPAT |
| 32 | L32 | 322 | 3 and 10 | US-PGPUB; USPAT |
| 33 | L33 | 31 | 3 SAME 10 | US-PGPUB; USPAT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| 34 | L34 | 1 | 3 SAME 26 | US-PGPUB; USPAT |
| 35 | L35 | 31 | 3 and 26 | US-PGPUB; USPAT |
| 36 | L36 | 3 | Christensen-bar\$40.inv. | US-PGPUB; USPAT |
| 37 | L37 | 146 | horton-jo\$40.inv. | US-PGPUB; USPAT |
| 38 | L38 | 74 | horton-john\$40.inv. | US-PGPUB; USPAT |
| 39 | L39 | 2 | reichow-will\$40.inv. | US-PGPUB; USPAT |
| 40 | L40 | 5 | gretter-eug\$40.inv. | US-PGPUB; USPAT |
| 41 | L41 | 0 | reising-ken\$40.inv. | US-PGPUB; USPAT |
| 42 | L42 | 1721 | ("UNISYS" "UNISYS COPORATION" "UNISYS CORPORATION" "UNISYS CORPORATION-FORMERLY BURROUGHS CORP" "UNISYS CORPORATION-FORMERLY BURROUGHS CORPORATION" "UNISYS CORP.-FORMERLY BURROUGHS CORP." "UNISYSCORP").asn. | US-PGPUB; USPAT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|---------------------------------------------------------------|----------------------|
| 43 | L43 | 20 | 42 and 2 | US-PGPUB; USPAT |
| 44 | L44 | 55 | 42 and 3 | US-PGPUB; USPAT |
| 45 | L45 | 24 | 42 and 7 | US-PGPUB; USPAT |
| 46 | L46 | 0 | 42 and 24 | US-PGPUB; USPAT |
| 47 | L47 | 13 | 42 and 26 | US-PGPUB; USPAT |
| 48 | L48 | 97 | Cool ADJ1 ICE | EPO; JPO; DERWENT |
| 49 | L49 | 778 | mapper | EPO; JPO; DERWENT |
| 50 | L50 | 304 | (SGML or HTML or HDML or xML) NEAR20 (syntax\$6 or script\$6) | EPO; JPO; DERWENT |
| 51 | L51 | 197 | command NEAR3 script | EPO; JPO; DERWENT |
| 52 | L52 | 138 | ASP NEAR5 active | EPO; JPO; DERWENT |
| 53 | L53 | 7701 | database NEAR3 management | EPO; JPO; DERWENT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|------------------------------------------------|----------------------|
| 54 | L54 | 20 | 50 and (intermix\$8 or couple\$4 or combin\$8) | EPO; JPO; DERWENT |
| 55 | L55 | 22 | 51 and (intermix\$8 or couple\$4 or combin\$8) | EPO; JPO; DERWENT |
| 56 | L56 | 6 | 52 and (intermix\$8 or couple\$4 or combin\$8) | EPO; JPO; DERWENT |
| 57 | L57 | 0 | breaker NEAR10 statement | EPO; JPO; DERWENT |
| 58 | L58 | 149 | (end or complete) NEAR10 statement | EPO; JPO; DERWENT |
| 59 | L59 | 2 | 48 and 49 | EPO; JPO; DERWENT |
| 60 | L71 | 3 | 48 and 50 | EPO; JPO; DERWENT |
| 61 | L72 | 2 | 48 and 51 | EPO; JPO; DERWENT |
| 62 | L73 | 0 | 48 and 52 | EPO; JPO; DERWENT |
| 63 | L74 | 5 | 48 and 53 | EPO; JPO; DERWENT |
| 64 | L75 | 1 | 49 and 50 | EPO; JPO; DERWENT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|-------------|----------------------|
| 65 | L76 | 1 | 49 and 51 | EPO; JPO; DERWENT |
| 66 | L77 | 0 | 49 and 52 | EPO; JPO; DERWENT |
| 67 | L78 | 10 | 49 and 53 | EPO; JPO; DERWENT |
| 68 | L79 | 9 | 50 and 51 | EPO; JPO; DERWENT |
| 69 | L80 | 4 | 50 and 52 | EPO; JPO; DERWENT |
| 70 | L81 | 4 | 50 and 53 | EPO; JPO; DERWENT |
| 71 | L82 | 0 | 50 and 58 | EPO; JPO; DERWENT |
| 72 | L83 | 0 | 58 and 48 | EPO; JPO; DERWENT |
| 73 | L84 | 0 | 58 and 49 | EPO; JPO; DERWENT |
| 74 | L85 | 0 | 58 and 51 | EPO; JPO; DERWENT |
| 75 | L86 | 0 | 58 and 52 | EPO; JPO; DERWENT |

| | L # | Hits | Search Text | DBs |
|----|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| 76 | L87 | 3 | 58 and 53 | EPO; JPO; DERWENT |
| 77 | L88 | 0 | Christensen-bar\$40.inv. | EPO; JPO; DERWENT; IBM_TDB |
| 78 | L89 | 3 | horton-john\$40.inv. | EPO; JPO; DERWENT; IBM_TDB |
| 79 | L90 | 0 | reichow-will\$40.inv. | EPO; JPO; DERWENT; IBM_TDB |
| 80 | L91 | 0 | gretter-eug\$40.inv. | EPO; JPO; DERWENT; IBM_TDB |
| 81 | L92 | 0 | reising-ken\$40.inv. | EPO; JPO; DERWENT; IBM_TDB |
| 82 | L93 | 2068 | ("UNISYS" "UNISYS COPORATION" "UNISYS CORPORATION" "UNISYS CORPORATION-FORMERLY BURROUGHS CORP" "UNISYS CORPORATION-FORMERLY BURROUGHS CORPORATION" "UNISYS CORP.-FORMERLY BURROUGHS CORP." "UNISYSCORP").asn. | EPO; JPO; DERWENT; IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|------|------|---------------------------------------------------------------|----------------------------------|
| 83 | L94 | 5 | 93 and 48 | EPO; JPO; DERWENT; IBM_TDB |
| 84 | L95 | 5 | 93 and 49 | EPO; JPO; DERWENT; IBM_TDB |
| 85 | L96 | 4 | 93 and 50 | EPO; JPO; DERWENT; IBM_TDB |
| 86 | L97 | 4 | 93 and 51 | EPO; JPO; DERWENT; IBM_TDB |
| 87 | L98 | 0 | 93 and 52 | EPO; JPO; DERWENT; IBM_TDB |
| 88 | L99 | 43 | 93 and 53 | EPO; JPO; DERWENT; IBM_TDB |
| 89 | L100 | 0 | Cool ADJ1 ICE | IBM_TDB |
| 90 | L101 | 31 | mapper | IBM_TDB |
| 91 | L102 | 16 | (SGML or HTML or HDML or xML) NEAR20 (syntax\$6 or script\$6) | IBM_TDB |
| 92 | L103 | 30 | command NEAR3 script | IBM_TDB |

| | L # | Hits | Search Text | DBs |
|----|------|------|---------------------------------------|---------|
| 93 | L104 | 2 | ASP NEAR5 active | IBM_TDB |
| 94 | L105 | 150 | database NEAR3 management | IBM_TDB |
| 95 | L106 | 0 | breaker NEAR10 statement | IBM_TDB |
| 96 | L107 | 66 | (end or complete) NEAR10 statement | IBM_TDB |
| 97 | L108 | 3 | 105 and (SGML or HTML or HDML or xML) | IBM_TDB |

Advanced Search: INSPEC - 1969 to date (INZZ)

limit

Search history:

| No. | Database | Search term | Info added since | Results | |
|-----|----------|---------------------------------------------|------------------|---------|-----------------------------|
| 1 | INZZ | Cool NEAR Ice | unrestricted | 48 | show titles |
| 2 | INZZ | unysis | unrestricted | 3 | show titles |
| 3 | INZZ | unisis | unrestricted | 1046 | show titles |
| 4 | INZZ | 1 AND 3 | unrestricted | 0 | - |
| 5 | INZZ | mapper | unrestricted | 1776 | show titles |
| 6 | INZZ | 1 AND 3 | unrestricted | 0 | - |
| 7 | INZZ | 1 AND 5 | unrestricted | 0 | - |
| 8 | INZZ | 3 AND 5 | unrestricted | 46 | show titles |
| 9 | INZZ | HTML OR SGML OR XML OR HDML | unrestricted | 14235 | show titles |
| 10 | INZZ | 9 NEAR (syntax OR script) | unrestricted | 202 | show titles |
| 11 | INZZ | 3 AND 9 | unrestricted | 1 | show titles |
| 12 | INZZ | 10 AND (combin\$ OR intermix\$ OR couple\$) | unrestricted | 20 | show titles |
| 13 | INZZ | ASP | unrestricted | 2657 | show titles |
| 14 | INZZ | 13 AND 1 | unrestricted | 0 | - |
| 15 | INZZ | 13 AND 3 | unrestricted | 0 | - |
| 16 | INZZ | 13 AND 5 | unrestricted | 5 | show titles |
| 17 | INZZ | 13 AND 9 | unrestricted | 83 | show titles |
| 18 | INZZ | 13 AND 10 | unrestricted | 4 | show titles |
| 19 | INZZ | break NEAR statement | unrestricted | 5 | show titles |
| 20 | INZZ | 19 AND 9 | unrestricted | 0 | - |
| 21 | INZZ | 9 AND break\$ | unrestricted | 120 | show titles |
| 22 | INZZ | 10 AND break\$ | unrestricted | 3 | show titles |
| 23 | INZZ | 9 AND break | unrestricted | 28 | show titles |
| 24 | INZZ | christensen-b\$ | unrestricted | 90 | show titles |
| 25 | INZZ | horton-j\$ | unrestricted | 431 | show titles |
| 26 | INZZ | reichow-w\$ | unrestricted | 1 | show titles |
| 27 | INZZ | gretter-e\$ | unrestricted | 0 | - |
| 28 | INZZ | reising-k\$ | unrestricted | 0 | - |
| 29 | INZZ | 24 AND 5 | unrestricted | 0 | - |
| 30 | INZZ | 24 AND 1 | unrestricted | 0 | - |
| 31 | INZZ | 24 AND 3 | unrestricted | 0 | - |
| 32 | INZZ | 24 AND 9 | unrestricted | 0 | - |
| 33 | INZZ | 25 AND 1 | unrestricted | 0 | - |
| 34 | INZZ | 25 AND 3 | unrestricted | 0 | - |
| 35 | INZZ | 25 AND 9 | unrestricted | 0 | - |
| 36 | INZZ | 24 AND 25 | unrestricted | 0 | - |

[show last 10 searches](#) | [hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)